Letters in Applied Microbiology

Edited by

C.R. Harwood

Volume 34, 2002

Copyright © 2002, by The Society for Applied Microbiology

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the Society

CODEN LAMIE7 ISSN 0266-8254

Published by
Blackwell Science Ltd (a Blackwell Publishing company)
OXFORD LONDON EDINBURG BOSTON
MELBOURNE BERLIN VIENNA

Printed in Great Britain

Contents

Volume 34, Issue 1, January 2002

1 Instructions for authors

7 Exposure to non-acid fresh meat docontamination washing fluids sensitizes *Escherichia coli* O157:H7 to organic acids *J. Samelis, J.N. Sofos, J.S. Ikeda, P.A. Kendall & G.C. Smith*

13 Purification and characterization of a thermostable alkaline protease from alkalophilic *Bacillus pumilus* *C.G. Kumar*

18 Enhanced inactivation of *Listeria monocytogenes* by nisin in the presence of ethanol *R. Brewer, M.R. Adams & S.F. Park*

22 A versatile reactor for continuous monitoring of biofilm properties in laboratory and industrial conditions *M.O. Pereira, P. Morin, M.J. Vieira & L.F. Melo*

27 Antimicrobial effect of essential oils on the seafood spoilage micro-organism *Photobacterium phosphoreum* in liquid media and fish products *O. Mejlholm & P. Dalgaard*

32 Citrulline as the main precursor of ethyl carbamate in model fortified wines inoculated with *Lactobacillus hilgardii*: a marker of the levels in a spoiled fortified wine *Z. Azevedo, J.A. Couto, & T. Hogg*

37 Implementation of real-time PCR to tetrathionate broth enrichment step of *Salmonella* detection in poultry *A. Eyigor, K.T. Carli, & C.B. Unal*

42 The symbiosis of *Bacillus subtilis* L-forms with Chinese cabbage seedlings inhibits conidial germination of *Botrytis cinerea R. Walker, C.M.J. Ferguson, N.A. Booth & E.J. Allan*

46 Removal of heavy metals by an *Aspergillus terreus* strain immobilized in a polyurethane matrix *M.A. Dias, I.C.A. Lacerda, P.F. Pimentel, H.F. de Castro & C.A. Rosa*

51 Exopolysaccharide production from *Sclerotium glucanicum* NRRL 3006 and *Botryosphaeria rhodina* DABAC-P82 on raw and hydrolysed starchy materials *L. Selbmann, S. Crognale & M. Petruccioli*

56 Mycelial growth and exo-biopolymer production by submerged culture of various edible mushrooms under different media *S.W. Kim, H.J. Hwang, J.P. Park, Y.J. Cho, C.H. Song & J.W. Yun*

62 Development of membrane filter holder (MFH) method for recovery of heat-injured *Escherichia coli* O157:H7 and *Salmonella typhimurium D.H. Kang*

67 Production of *Aspergillus terreus* α-L-rhamnosidase by solid state fermentation *S. Elinbaum, H. Ferreyra, G. Ellenrieder & C. Cuevas*

72 Survival of *Campylobacter jejuni* on beef trimmings during freezing and frozen storage *S.M. Moorhead & G.A. Dykes*

Volume 34, Issue 2, February 2002

77 Bacteriocin production by spray-dried lactic acid bacteria *J. Silva, A.S. Carvalho, P. Teixeira & P.A Gibbs*

82 Random amplified polymorphic DNA analysis for differentiation of *Leuconostoc mesenteroides* subspecies *G. Pérez, E. Cardell & V. Zarate*

86 A rapid staining technique for the detection of the initiation of germination of bacterial spores *T. Hamouda, A.Y. Shih & J.R. Baker, Jr*

91 Cuticle-degrading proteases from the entomopathogen *Metarhizium flavoviride* and their distribution in secreted and intracellular fractions *P.V. Tiago, M.H.P. Fungaro & M.C. Furlaneto*

95 (1→6)-β-D-glucan as the cell wall binding site for *Debaryomyces hansenii* killer toxin *A. Santos, D. Marquina, J. Barroso & J.M. Peinado*

100 Long-term survival of *Escherichia coli* O157 on pasture following an outbreak associated with sheep at a scout camp *I.D. Ogden, N.F. Hepburn, M. MacRae, N.J.C. Strachan, D.R. Fenlon, S.M. Rusbridge & T.H. Pennington*

105 Comparison of faecal *Lactobacillus* populations in experimental animals from different breeding facilities and possible consequences for probiotic studies *R. de Waard, J. Snel, G.C.A.M. Bokken, P.S.T. Tan, F. Schut & J.H.J. Huis in't Veld*

110 Interference between enterovirus and reovirus as a limiting factor in environmental virus detection *A. Carducci, L. Cantiani, R. Moscatelli, B. Casini, E. Rovini, F. Mazzoni, A. Giuntini & M. Verani*

114 Nisin and pediocin production on mussel-processing waste supplemented with glucose and five nitrogen sources *N.P. Guerra & L. Pastrana*

119 Expression and processing of a major xylanase (XYN2) from the thermophilic fungus *Humicola grisea* var. *thermoidea* in *Trichoderma reesei F.P de Faria, V.S.J. Te'o, P.L. Bergquist, M.O. Azevedo & K.M.H. Nevalainen*

124 Evaluation of selective media for *Campylobacter* isolation when cycloheximide is replaced with amphotericin B *K.W. Martin, K.L. Mattick, M. Harrison & T.J. Humphrey*

130 In-well cell lysis technique reveals two new megaplasmids of 103·0 and 212·6 MDa in the multiple plasmid-containing strain V517 of *Escherichia coli R.O. Pedraza & J.C. Diaz Ricci*

134 Comparison of the acidifying activity of *Lactococcus lactis* subsp. *lactis* strains isolated from goat's milk and Valdeteja cheese *C. Alonso-Calleja, J. Carballo, R. Capita, A. Bernardo & M.L. García-Lopez*

139 The ineffectiveness of organic acids, freezing and pulsed electric fields to control *Escherichia coli* O157:H7 in beef burgers *D.J. Bolton, T. Catarame, C. Byrne, J.J. Sheridan, D.A. McDowell & I.S. Blair*

144 Identification of *Fusarium graminearum* in cereal samples by DNA Detection Test Strips *S. Knoll, R.F. Vogel & L. Niessen*

149 Antimicrobial resistance and plasmid profiles of *Campylobacter jejuni* and *Campylobacter coli* from human and animal sources *M.H.C. Aquino, A.L.L. Filgueiras, M.C.S. Ferreira, S.S. Oliveira, M.C. Bastos & A. Tibana*

Volume 34, Issue 3, March 2002

155 Molecular analysis of *Vibrio parahaemolyticus* isolated from human patients and shellfish during US Pacific north-west outbreaks *G.E. Kaufman, M.L. Myers, C.L. Pass, A.K. Bej & C.A. Kaysner*

162 Development of a high-volume aerosol collection system for the identification of air-borne micro-organisms *J.L. Radosevich, W.J. Wilson, J.H. Shinn, T.Z. DeSantis & G.L. Andersen*

168 Chitosan potentiates the antimicrobial action of sodium benzoate on spoilage yeasts *S.K. Sagoo, R. Board & S. Roller*

1173 Microbial colonization of naturally black olives during fermentation and associated biochemical activities in the cover brine *G.-J.E. Nychas, E.Z. Panagou, M.L. Parker, K.W. Waldron & C.C. Tassou*

178 Production of an exopolysaccharide bioflocculant by *Sorangium cellulosum J. Zhang, R. Wang, P. Jiang & Z. Liu*

182 Involvement of RNA and DNA in the staining of *Escherichia coli* by SYTO 13 *T. Guindulain & J. Vives-Rego*

189 Detection and potential indicators of the presence of hepatitis C virus on surfaces in hospital settings *A. Carducci, M. Verani, B. Casini, A. Giuntini, F. Mazzoni, E. Rovini, A. Passaglia, L. Giusti, A. Valenza & R. Lombardi*

194 The occurrence and properties of *Bacillus thuringiensis* isolated from free-living animals *I. Swiecicka, K. Fiedoruk & G. Bednarz*

199 Immunoassay method for quantitative determination of nisin in solution and on polymeric films *P.P. Leung, M. Khadre, T.H. Shellhammer & A.E. Yousef*

205 Immobilization of fructosyltransferase from *Streptococcus mutans* on hydroxyapatite surfaces induces the formation of multimeric complexes *M. Bronshteyn & D. Steinberg*

210 A rapid and efficient assay for extracting DNA from fungi *D.W. Griffin, C.A. Kellogg, K.K. Peak & E.A. Shinn*

215 Antibiotic susceptibility of bacterial strains isolated from patients with various infections *S.H. Lee & S.H. Jeong*

222 PCR-ELISA detection of *Escherichia coli* in milk *P. Daly, T. Collier & S. Doyle*

227 EU Drinking Water Directive reference methods for enumeration of total coliforms and *Escherichia coli* compared with alternative methods *F.M. Schets, P.J. Nobel, S. Strating, K.A. Mooijman, G.B. Engels & A. Brouwer*

Volume 34, Issue 4, April 2002

233 The *M. tuberculosis* antigen 85 complex and mycolyltransferase activity *L. Kremer, W.N. Maughan, R.A. Wilson, L.G. Dover & G.S. Besra*

238 Ribotyping of *Clostridium perfringens* from industrially produced ground meat *Ü. Kilic, B. Schalch & A. Stolle*

244 Expression of the *mel* gene from *Pseudomonas maltophilia* in *Bacillus thuringiensis L. Ruan, Y. Huang, G. Zhang, D. Yu & S. Ping*

249 The ability of the plasmid-encoded restriction and modification system *Lla*BIII to protect *Lactococcus lactis* against bacteriophages *J. Kong & J. Josephsen*

254 Specific layers in aerobically grown microbial granules *J.-H. Tay, V. Ivanov, S. Pan & S.T.-L. Tay*

258 Arsenic (III) oxidizing *Microbacterium lacticum* and its use in the treatment of arsenic contaminated groundwater *S.A. Mokashi & K.M. Paknikar*

263 Development of a simple and sensitive fluorimetric method for isolation of coumaphos-hydrolysing bacteria *R.L. Harcourt, I. Horne, T.D. Sutherland, B.D. Hammock, R.J. Russell & J.G. Oakeshott*

269 The correlation method for rapid monitoring of *Escherichia coli* in foods *P.M. Gray, M.S. Rhee & D.H. Kang*

274 Comparison of LST+MUG broth technique and conventional method for the enumeration of *Escherichia coli* in foods *H.B. Dogan, I. Cakir, E. Baspinar & A.K. Halkman*

279 Microfloral contamination and hydrolytic enzyme differences between monsooned and non-monsooned coffees *R. Ahmad & N. Magan*

283 Does calculation of the 95th percentile of microbiological results offer any advantage over percentage exceedence in determining compliance with bathing water quality standards? *P.R. Hunter*

287 Cloning and sequencing of 16S rDNA and 16S-23S rDNA internal spacer region (ISR) from urease-positive thermophilic *Campylobacter* (UPTC) *M. Miyajima, M. Matsuda, S. Haga, S. Kagawa, B.C. Millar & J.E. Moore*

290 Improvement in the resting-cell bioconversion of penicillin G to deacetoxycephalosporin G by addition of catalase *Q. Gao & A.L. Demain*

293 Inhibition of biofilm formation and swarming of *Bacillus subtilis* by (5*Z*)-4-bromo-5-(bromomethylene)-3-butyl-2(5*H*)-furanone *D. Ren, J.J. Sims & T.K. Wood*

300 A liquid synchronized-growth culture assay for the identification of true positive and negative yeast three-hybrid transformants *R. Srivastava & S.K. Lal*

304 Rapid and specific identification of Shiga toxin-producing *Escherichia coli* in faeces by multiplex PCR *J. Osek*

Volume 34, Issue 5, May 2002

311 *In vitro* antibiotic susceptibility of bacteria isolated from EUS-affected fishes in India *D. Saha & J. Pal*

317 Improved polygalacturonase production from *Bacillus* sp. MG-cp-2 under submerged (SmF) and solid state (SSF) fermentation *M. Kapoor & R.C. Kuhad*

323 Typing of *Saccharomyces cerevisiae* and *Kloeckera apiculata* from Aglianico wine *M. Caruso, A. Capece, G. Salzano & P. Romano*

329 Microbial status and rumen enzyme profile of crossbred calves fed on different microbial feed additives *N. Agarwal, D.N. Kamra, L.C. Chaudhary, I. Agarwal, A. Sahoo & N.N. Pathak*

337 Production, purification and characterization of an extracellular keratinase from *Lysobacter* NCIMB 9497 *J.D. Allpress, G. Mountain & P.C. Gowland*

343 *Aspergillus* section Flavi populations from field maize in Argentina *A. Nesci & M. Etcheverry*

349 Manipulation of temperature and illumination conditions for enhanced ß-carotene production by mutant 32 of *Rhodotorula glutinis P. Bhosale & R.V. Gadre*

354 PCR/restriction fragment length polymorphism (RFLP) typing of human and poultry *Campylobacter jejuni* strains *I. Steinhauserova, J. Ceskova & M. Nebola*

359 Histopathological methods for the investigation of microbial communities associated with disease lesions in reef corals *J.C. Bythell, M.R. Barer, R.P. Cooney, J.R. Guest, A.G. O'Donnell, O. Pantos & M.D.A. Le Tissier*

365 Optimizing enrichment conditions for the isolation of *Escherichia coli* O157 in soils by immunomagnetic separation *N.F. Hepburn, M. MacRae, M. Johnston, J. Mooney & I.D. Ogden*

370 Improvement for the production of clavulanic acid by mutant *Streptomyces clavuligerus S.D. Lee, S.W. Park, K.K. Oh, S.I. Hong & S.W. Kim*

376 Phylogenetic relationships among strains of the entomopathogenic fungus, *Nomuraea rileyi*, as revealed by partial ß-tubulin sequences and inter-simple sequence repeat (ISSR) analysis *Q. Han, G.D. Inglis & G. Hausner*

384 *Giardia* and *Cryptosporidium* removal from waste-water by a duckweed (*Lemna gibba* L.) covered pond *J.A. Falabi, C.P. Gerba & M.M. Karpiscak*

Volume 34, Issue 6, June 2002

389 Influence of nutritional conditions on the mycelial growth and exopolysaccharide production in *Paecilomyces sinclairii S.W. Kim, H.J. Hwang, C.P. Xu, Y.S. Na, S.K. Song & J.W. Yun*

394 Simultaneous inactivation of the *wprA* and *dltB* genes of *Bacillus subtilis* reduces the yield of α-amylase *K. Stephenson, C.L. Jensen, S.T. Jørgensen & C.R. Harwood*

398 Detection and quantification of phytotoxic metabolites of *Sarocladium oryzae* in sheath rot-infected grains of rice *M.K. Ghosh, R. Amudha, S. Jayachandran & N. Sakthivel*

402 Influence of the culture medium on antibiotic susceptibility testing of food-associated lactic acid bacteria with the agar overlay disc diffusion method *G. Huys, K. D'Haene & J. Swings*

407 High organic loading influences the physical characteristics of aerobic sludge granules *B.Y.-P. Moy, J.-H. Tay, S.-K. Toh, Y. Liu & S.T.-L. Tay*

413 Enzymes for animal feeding from *Penicillium chrysogenum* mycelial wastes from penicillin manufacture *O.M. Nuero & F. Reyes*

417 Effect of diethylsulphoxide on growth, survival and ion exchange of *Escherichia coli S.A. Markarian, A.A. Poladyan, G.R. Kirakosyan, A.A. Trchounian & K.A. Bagramyan*

422 Designing of polymerase chain reaction primers for the detection of *Salmonella enteritidis* in foods and faecal samples *S.-J. Wang & D.-B. Yeh*

428 Heterogeneity in expression of lipopolysaccharide by strains of *Salmonella enterica* serotype Typhimurium definitive phage type 104 and related phage types *A.J. Lawson, H. Chart, M.U. Dassama & E.J. Threlfall*

433 Effect of agitation intensity on the exo-biopolymer production and mycelial morphology in *Cordyceps militaris J.P. Park, Y.M. Kim, S.W. Kim, H.J. Hwang, Y.J. Cho, Y.S. Lee, C.H. Song & J.W. Yun*

439 Diversity of streptomycetes in water-damaged building materials based on 16S rDNA sequences *H. Rintala, A. Nevalainen & M. Suutari*

444 Evaluation of three flocculation methods for the purification of *Cryptosporidium parvum* oocysts from water samples *P. Karanis & A. Kimura*

450 Detection of *Helicobacter pylori* DNA in drinking water biofilms: implications for transmission in early life *J.E.G. Bunn, W.G. MacKay, J.E. Thomas, D.C. Reid & L.T. Weaver*

455 Diversity in specificity of the extracellular proteinases in *Lactobacillus helveticus* and *Lactobacillus delbrueckii* subsp. *bulgaricus C.J. Oberg, J.R. Broadbent, M. Strickland & D.J. McMahon*

461 Hydrolytic properties of crude α-L-rhamnosidases produced by several wild strains of mesophilic fungi *E. Scaroni, C. Cuevas, L. Carrillo & G. Ellenrieder*

467 Index